



AGIP
 ADRIATIC SEA ZONE D
 LINE D438 (T.V.F.)
 FEBRUARY 1968 GEOPHYSICAL SERVICE INTERNATIONAL LTD.

SHOOTING PARAMETERS
 6-Fold Off End
 Shot by G.S.I. PTY 910
 Cable Length 1600m.
 Group Interval 67 m.
 Shot Point Interval 134 m.
 Average Shot Offset 130 m.
 Charge Size 50 lb
 Average Seis Depth 13 m.

RECORDING PARAMETERS
 System 9,000
 Record Length 5.0
 Sample 2ms
 GAGC Trip 0.78s Rate 80db/s
 Init. 36 db Final 0db
 Filters Hi 75 cps 24 db/oct
 Lo 8 cps 24 db/oct
 2ms Anti Alias Filtering

SEIS EDIT & NMO
 TAR
 $\alpha = 4.0$ db/sec
 From 0 sec. to 4.0 sec
 Water Velocity 1494 mps
 Replacement Vel. 1494 mps

DECONVOLUTION
 Time Invariant ARD
 Filter Length 252 msec
 Gate Length 2800 msec
 No of Gates / Trace 1
 Initial Times
 Tri 1.3 sec, T2 0.56 sec
 Final Times
 Tri 4.1 sec, T2 3.36 sec

6-FOLD STACK
 Optimum Wide Band Stack
 RNMO Yes, Diversity Stack NO
 First Break Suppression
 T1 0. sec, T4 0.8 sec.
 T2 0.4 sec, T5 1.0 sec.
 T3 0.6 sec, T6 1.2 sec.

DISPLAY
 Analog Filters OUT-OUT
 Straight Gain
 +12 +4 -20 -4
 Tape HTL 2260

REQ. No.	L-1316
Section No.	2132-C
System Code	MSTV-2
Assembled by	V. GEADA
Checked by	B. BIGGS

EVERY 3rd SHOTPOINT MISSING DUE
 to SHOT INTERVAL BEING too SMALL

