
AGIP
 ADRIATIC SEA: ZONE D
LINE D442 (T.V.F.)
 NOVEMBER 1967 GEOPHYSICAL SERVICE INTERNATIONAL LTD


SHOOTING PARAMETERS	
6-Fold Off End	
Shot by G.S.I. PTY 906	
Cable Length 1600 m	
Group Interval 67 m	
Shot Point Interval 134 m	
Average Shot Offset 160m	
Charge Size 50lb	
Average Seis. Depth 15 m	

RECORDING PARAMETERS	
System 9,000	
Shot Length 5.0	
Sample 2 ms	
Gate Type Q78a, Rate 8000/4	
Shot 48 dot/Incl 73db	
Shot Ht 75 cps 24 db/oct	
Low 8cps 24 db/oct	
Shot Anti Alias Filtering	

SEIS EDIT @ NMO	
TAR	
$\alpha = 3.0$ db/sec	
From 0 sec to 3.0 sec	
Water Velocity 1524 mps	
Replacement Vel 1524 mps	

DECONVOLUTION	
Time Invariant ARD	
Filter Length 252 msec	
Gate Length 2800 msec	
No of Gates/Trace 1	
Initial times	
Tr 1: 6 sec, Tr 2: 4.13 sec	
Final times	
Tr 1: 4.4 sec, Tr 2: 4.1 sec	

6-FOLD STACK	
Optimum Wide Band Stack	
RNMO Yes, Diversity Stack NO	
First Break Suppression	
T ₁ 0 sec, T ₂ 1.0 sec	
T ₃ 0.6 sec, T ₄ 1.2 sec	
T ₅ 0.8 sec, T ₆ 1.4 sec	



DISPLAY	
Analog Filters OUT - OUT	
Straight Gain	
+18 + 0 - 20 - - 2	
Tape HTL 2105	

REQ. N°	
L-4545	
Section N°	2078-C
System Code	MSTV-2
Assembled by	M.HUNT
Checked by	<i>[Signature]</i>

