



AGIP
 ADRIATIC SEA: ZONE D
 LINE D 484 (T.V.F)
 MAY 1968 GEOPHYSICAL SERVICE INTERNATIONAL LTD.

SHOOTING PARAMETERS
 24-Fold Off End
 Shot by G.S.I. PTY. 908
 Cable Length 1600m
 Group Interval 6.5 m
 Shot Point Interval 4x33m
 Average Shot Offset 397 m.
 Charge AIR GUN
 Average Seis Depth 11 m.

RECORDING PARAMETERS
 System 10,000
 Record Length 5.0
 Sample 4 ms
 GAGC Trip 0.7 sRate 80 db/s
 Int. 62 db Final 100db
 Filters Hi 70 cps 24 db/oct
 Lo 8 cps 24 db/oct
 4ms Anti Alias Filtering

SEIS EDIT & NMO
 TAR Applied
 -4.0db/sec. 0-4.0 sec.
 Equalization 1.0 - 4.0sec.
 Water Velocity 1494 m.sec.

24-FOLD STACK
 First Break Suppression
 Tr₂₄, Tr₂₃: 0 secs Tr₁₂, Tr₁₁: 1.2secs.
 Tr₂₂, Tr₂₁: 0.1 secs Tr₁₀, Tr₉: 1.4secs.
 Tr₂₀, Tr₁₉: 0.3 secs Tr₈, Tr₇: 1.5secs.
 Tr₁₈, Tr₁₇: 0.5 secs Tr₆, Tr₅: 1.6secs.
 Tr₁₆, Tr₁₅: 0.7 secs Tr₄, Tr₃: 1.7secs.
 Tr₁₄, Tr₁₃: 1.0 secs Tr₂, Tr₁: 1.8secs.

DECONVOLUTION
 Time Varying ARD 1
 Filter Length 212 m.sec.
 Gate Length 2200 m.sec.
 No. of Gates / Trace 2
 Initial and Final Times
 Gate 1 0.5 sec. 2.7 sec.
 Gate 2 1.6 sec. 3.8 sec.

DISPLAY
 Analog Filters OUT - OUT
 Straight Gain
 + 6 + 0 - 4 = +2
 Tape HTL - 2537

REQ. No. L-4615
 Section No. 2586 C
 System Code CSA
 Assembled by V. GEADA
 Checked by B. Biggs

LINE D493 SP. B10045 LINE D492 SP. B10083
 70 METERS 68 64 61 59 52 46 39 29 METERS
 B 10298 10290 10280 10270 10260 10250 10240 10230 B 10227

